

USDC SDNY DOCUMENT ELECTRONICALLY FILED DOC #: DATE FILED: 11/3/2021
--

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

-----	X	
UNITED STATES OF AMERICA	:	
	:	19-CR-808 (VEC)
-against-	:	
	:	<u>ORDER</u>
SALIFOU CONDE	:	
	:	
Defendant	:	
-----	X	

VALERIE CAPRONI, United States District Judge:


WHEREAS a sentencing hearing is currently scheduled for November 17, 2021 at 2:30 p.m., Dkt. 272;

IT IS HEREBY ORDERED THAT, due to a scheduling conflict for the Court, sentencing is adjourned to **December 3, 2021 at 2:00 p.m.** in Courtroom 443 of the Thurgood Marshall United States Courthouse, located at 40 Foley Square, New York, New York 10007. Sentencing submissions are due by **November 19, 2021.**

The parties are reminded that, per the SDNY COVID-19 Courthouse Entry Program, any person who appears at any SDNY courthouse must complete a questionnaire and have his or her temperature taken. Please see the enclosed instructions. Completing the questionnaire ahead of time will save time and effort upon entry. Only those individuals who meet the entry requirements established by the questionnaire will be permitted entry. Please contact chambers promptly if you or your client do not meet the requirements.

SO ORDERED.

Date: November 3, 2021
New York, NY



VALERIE CAPRONI
United States District Judge

Instructions for Courthouse Entry

All members of the public, including attorneys, appearing at a Southern District of New York courthouse must complete a questionnaire and have their temperature taken before being allowed entry into that courthouse.

On the day you are due to arrive at the courthouse, click on the following weblink to begin the enrollment process. Follow the instructions and fill out the questionnaire. If your answers meet the requirements for entry, you will be sent a QR code to be used at the SDNY entry device at the courthouse entrance.

Weblink: <https://app.certify.me/SDNYPublic>

Note: If you do not have a mobile phone or mobile phone number, you must complete the questionnaire and temperature screening at an entry device at the courthouse.